

Buckeye® Fortified Parrot Mix

71325

TYPE OF FEED Complete

FORM OF FEED: Mixed Grains

PACKAGING: 25 lb Paper Bags

SPECIES: Parrots or the psittacine family

AGES: All life stages



FEATURES:

- Mix of clean, high quality seeds that parrots prefer
- Includes a high quality pellet containing amino acids, mineral and vitamins specifically designed for fortifying Psittacine diets
- Contains a percentage of colored seed which also carry additional vitamin fortification
- Additional calcium is provided through a small amount of oyster shell in the mix
- Contains no medication

GUARANTEED ANALYSIS

Crude Protein, min.	16.0%
Crude Fat, min.	10.00%
Crude Fiber, max.	20.00%
Calcium, min.	0.40%
Calcium, max.	0.90%
Phosphorus, min.	0.45%
Salt, min,	0.10%
Salt, max,	0.60%

INGREDIENTS: Sunflower Seed, Oat Groats, Shelled Corn, Peanuts, Wheat, Red Peppers, Whole Peanuts, Safflower Seeds, Ground Corn, Corn Gluten Meal, Fish Meal, Dehulled Soybean Meal, Dried Egg Product, Poultry By-Product Meal, Poultry Fat, Brewers Rice, DL-Methionine, Lysine, Calcium Carbonate, Oyster Shells, Calcium Phosphate, Salt, Potassium Chloride, Magnesium Oxide, Manganous Oxide, Ferrous Sulfate, Copper Sulfate, Zinc Oxide, Ethylenediamine Dihydriodide, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulfite (source of Vitamin K Activity), Riboflavin Supplement, d-Calcium Pantothenate, Niacin Supplement, Vitamin B-12 Supplement, Choline Chloride, Folic Acid, Pyridoxine Hydrochloride, Thiamine Mononitrate, Vegetable Oil, Artificial Color.

FEEDING DIRECTIONS: See Second Page

Buckeye® Fortified Parrot Mix

Feeding Guide

Parrots and Conures require a high quality diet composed of superior ingredients. A parrot cannot survive a period of 24 hours without food and should not be without food for periods of more than 3 hours. Offer only as much Buckeye® Parrot Food as the bird will consume during a normal feeding period. Seeds should be changed daily to remove seed hulls and rejected seeds. The hulls and rejected seeds will account for approximately 25 to 35% of the mix. The feeder should be of a shape and in a location so as not to be contaminated by bird droppings and become a source of disease to the birds. A minimum of 50% of the pellets in the mix should be consumed because most of the supplemental vitamins and minerals are contained in the pellets. Some vitamins are also adhered to the colored seeds and the sunflower hearts are also an excellent source of vitamin E. Be very careful if feeding supplemental vitamins and minerals so as not to cause the bird harm by over-supplementation. Always maintain a source of clean, fresh water. A drip type waterer is preferred so as not to spread infections through the watering system. Grit may be made available to the bird although this is not a requirement for birds, which receive pellets and hull their seed diet. Store the unused container of Buckeye® Parrot Food in a clean, well, ventilated area where it cannot be contaminated by rodents, insects, or possibly disease carrying birds. When changing to Buckeye® Parrot Food from another food, mix the food with the former mix until the birds have become accustomed to the new diet.

To maintain freshness store in a cool dry environment. For extended storage keep refrigerated.